REPAIRABILITY INDEX CALCULATION AND PRESENTATION OF THE PARAMETERS WHICH ALLOWED TO ESTABLISH IT

Smartphone

Date of calculation	29/07/2021		
Producer's or importer's name or trademark	Motorola		
Producer or importer adress	De Entrée 250a 1101EE Amsterdam - The Netherlands		
Producer's or importer's model identifier Moto Edge 20 Lite			

This "FINAL_SCORE" tab in English is purely indicative. In order to meet regulatory obligations, only the "NOTE_FINALE" tab in French (see the next tab) is to be sent. Note: The results are automatically reported in the French tab.

	(see the next tab) is to be sent. Note. The results are automatically reported in the French tab.						
Criteria	Sub-criteria	Score of subcriterion /10	Weighting factor of subcriterion	Score of criterion /20	Total criteria scores /100		
CRITERION 1 : DOCUMENTATION	1.1 Availability of the technical documentation and other documentation related to user and maintenance instructions	6.9	2	13.8			
DISASSEMBLY, ACCESSIBILITY,	2.1 Ease of disassembly parts from List 2*	9.2	1		73.8		
	2.2 Necessary tools (List 2)	7.5	0.5	16.7			
	2.3 Fasteners characteristics parts from List 1** and List 2	7.5	0.5				
CRITERION 3 : 4 AVAILABILITY OF SPARE PARTS	3.1 Availability over time parts from List 2	2.0	1	5.3			
	3.2 Availability over time parts from List 1	0	0.5				
	3.3 Delivery time parts from List 2	6.7	0.3	5.3			
	3.4 Delivery time parts from List 1	6.7	0.2				
CRITERION 4 : PRICE OF SPARE PARTS	4. Ratio between price of parts from list 2 to the price of the product	10.0	2	20.0			
CRITERION 5 : SPECIFIC CRITERION	5.1 Information about type of updates	10.0	1				
	5.2 Free remote assistance	6.0	0.5	18.0			
	5.3 Possibility to reset softwares	10.0	0.5				
Reparability index on 10					7.4		

^{*} list 2: list of a maximum of 3 to 5 spare parts (depending on the category of equipment concerned) whose broken or malfunctioning parts are the most frequent;

^{**} list 1: list of a maximum of 10 other spare parts (depending on the category of equipment concerned) whose good condition is necessary for the operation of the equipment.